



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

intrusion and event and parameter and database and rule\$1 and compar\$4 and execut\$3 and priorit\$3 and e



THE ACM DIGITAL LIBRARY

[Feedback Report](#)

Terms used

**intrusion** and **event** and **parameter** and **database** and **rule\$1** and **compar\$4** and **execut\$3** and **priorit\$3** and e

Sort results by

[Save results to a Binder](#)

Try an A  
Try this

Display results

[Search Tips](#)

☐ [Open results in a new window](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

1 [Special issue: AI in engineering](#)

D. Sriram, R. Joobbani  
April 1985 **ACM SIGART Bulletin**, Issue 92

**Publisher:** ACM Press

Full text available: [pdf\(8.79 MB\)](#)

Additional Information: [full citation](#), [abstract](#)

The papers in this special issue were compiled from responses to the announcement in the July notices posted over the ARPAnet. The interest being shown in this area is reflected in the sixty About half the papers were received over the computer network.

2 [Special section on data mining for intrusion detection and threat analysis: ADAM: a testbed for intrusion detection](#)

Daniel Barbará, Julia Couto, Sushil Jajodia, Ningning Wu  
December 2001 **ACM SIGMOD Record**, Volume 30 Issue 4

**Publisher:** ACM Press

Full text available: [pdf\(896.53 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [info](#)

Intrusion detection systems have traditionally been based on the characterization of an attack a system to see if it matches that characterization. Recently, new intrusion detection systems bas appearance in the field. This paper describes the design and experiences with the ADAM (Audit use as a testbed to study how useful data mining techniques can be in intrusion detection.

**Keywords:** cyber attacks, data mining, intrusion detection software, pattern analysis

3 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren  
November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on**

**Publisher:** IBM Press

Full text available: [pdf\(4.21 MB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [info](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on pr obtain a better understanding of the execution of the application. The visualization tool we use University of Waterloo. However, these diagrams are often very complex and do not provide th application. In our experience, such tools display repeated occurrences of non-trivial commun ..

4 [GPGPU: general purpose computation on graphics hardware](#)

-  David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**


**Publisher:** ACM Press

Full text available:  [pdf\(63.03 MB\)](#)


Additional Information: [full citation](#), [abstract](#)

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely graphics architectures provide tremendous memory bandwidth and computational horsepower, processing units that support vector operations up to full IEEE floating point precision. High level hardware, making this computational power accessible. Architecturally, GPUs are highly parallel

**5** Seeing, hearing, and touching: putting it all together

-  Brian Fisher, Sidney Fels, Karon MacLean, Tamara Munzner, Ronald Rensink  
August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

**Publisher:** ACM Press

Full text available:  [pdf\(20.64 MB\)](#)

Additional Information: [full citation](#)

**6** A generic platform for addressing the multimodal challenge

-  Laurence Nigay, Joëlle Coutaz  
May 1995 **Proceedings of the SIGCHI conference on Human factors in computing systems**

**Publisher:** ACM Press/Addison-Wesley Publishing Co.


Full text available:  [html\(37.86 KB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**7** IMCE: Integrated media creation environment

-  Brett Adams, Svetha Venkatesh, Ramesh Jain  
August 2005 **ACM Transactions on Multimedia Computing, Communications, and Applications**

**Publisher:** ACM Press


Full text available:  [pdf\(16.79 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


We discuss the design goals for an integrated media creation environment (IMCE) aimed at enabling artifacts with professional qualities. The resulting requirements are implemented and we demonstrate with the generation of two simple home movies. The significance for the average user seeking to automate application of film principles to the task, removal of tedious low-level editing ...

**Keywords:** Home movie, computational media aesthetics, semantics, video collection

**8** Illustrative risks to the public in the use of computer systems and related technology

-  Peter G. Neumann  
January 1996 **ACM SIGSOFT Software Engineering Notes**, Volume 21 Issue 1

**Publisher:** ACM Press


Full text available:  [pdf\(2.54 MB\)](#)

Additional Information: [full citation](#)

**9** Theory of keyblock-based image retrieval

-  April 2002 **ACM Transactions on Information Systems (TOIS)**, Volume 20 Issue 2

**Publisher:** ACM Press

Full text available:  [pdf\(2.14 MB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

The success of text-based retrieval motivates us to investigate analogous techniques which can handle image data. However, images differ significantly from text both syntactically and semantically in the way they represent information. Thus, the generalization of information retrieval from the text domain to the image domain is a non-trivial task.

framework for information retrieval in the image domain which supports content-based q ...

**Keywords:** clustering, codebook, content-based image retrieval, keyblock

10 A survey of rollback-recovery protocols in message-passing systems

 E. N. (Mootaz) Elnozahy, Lorenzo Alvisi, Yi-Min Wang, David B. Johnson

September 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 3

**Publisher:** ACM Press


Full text available:  pdf(549.68 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cit](#)

This survey covers rollback-recovery techniques that do not require special language constructs rollback-recovery protocols into *checkpoint-based* and *log-based*. *Checkpoint-based* protocols restoration. Checkpointing can be coordinated, uncoordinated, or communication-induced. *Log*-logging of nondeterministic events, encoded in tuples call ...

**Keywords:** message logging, rollback-recovery

11 xlinkit: a consistency checking and smart link generation service

 Christian Nentwich, Licia Capra, Wolfgang Emmerich, Anthony Finkelstein

May 2002 **ACM Transactions on Internet Technology (TOIT)**, Volume 2 Issue 2

**Publisher:** ACM Press


Full text available:  pdf(463.26 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [cit](#)

xlinkit is a lightweight application service that provides rule-based link generation and checks th leverages standard Internet technologies, notably XML, XPath, and XLink. xlinkit can be used as or in applications that require smart link generation, including portal construction and managen article we show how consistency constraints can be expressed and checked. We des ...


**Keywords:** Consistency management, XML, automatic link generation, constraint checking

12 Intrusion detection systems and multisensor data fusion

 Tim Bass


April 2000 **Communications of the ACM**, Volume 43 Issue 4

**Publisher:** ACM Press

Full text available:  pdf(99.81 KB)  html(34.77 KB)


Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

13 Techniques and tools for analyzing intrusion alerts

 Peng Ning, Yun Cui, Douglas S. Reeves, Dingbang Xu

May 2004 **ACM Transactions on Information and System Security (TISSEC)**, Volume 7 Is

**Publisher:** ACM Press

Full text available:  pdf(1.55 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [in](#)

Traditional intrusion detection systems (IDSs) focus on low-level attacks or anomalies, and rais logical connections between them. In situations where there are intensive attacks, not only will the amount of alerts will also become unmanageable. As a result, it is difficult for human users the alerts and take appropriate actions. This paper presents a sequence of t ...

**Keywords:** Intrusion detection, alert correlation, security management

14 [Clustering intrusion detection alarms to support root cause analysis](#)



Klaus Julisch

November 2003 **ACM Transactions on Information and System Security (TISSEC)**, Volume 6 Is

**Publisher:** ACM Press

Full text available: [pdf\(285.72 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cit](#)

It is a well-known problem that intrusion detection systems overload their human operators by paper presents a new approach for handling intrusion detection alarms more efficiently. Central alarm occurs for a reason, which is referred to as the alarm's *root causes*. This paper observes causes generally account for over 90&percnt; of the alarms that an intrusion ...

**Keywords:** Intrusion detection, cluster analysis, data mining, false positives, root cause analys

15 [A framework for constructing features and models for intrusion detection systems](#)



Wenke Lee, Salvatore J. Stolfo

November 2000 **ACM Transactions on Information and System Security (TISSEC)**, Volume 3 Is

**Publisher:** ACM Press

Full text available: [pdf\(187.03 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cit](#)

Intrusion detection (ID) is an important component of infrastructure protection mechanisms. In accurate, adaptive, and extensible. Given these requirements and the complexities of today's n systematic and automated IDS development process rather than the pure knowledge encoding i describes a novel framework, MADAM ID, for Mining Audit Data for Automated Models for Instru

**Keywords:** data mining, feature construction, intrusion detection

16 [Intrusion detection: Enhancing byte-level network intrusion detection signatures with conte](#)



Robin Sommer, Vern Paxson

October 2003 **Proceedings of the 10th ACM conference on Computer and communication**

**Publisher:** ACM Press

Full text available: [pdf\(217.88 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cit](#)

Many network intrusion detection systems (NIDS) use byte sequences as signatures to detect n efficient, they tend to suffer from a high false-positive rate. We develop the concept of *context* based signature-matching. Rather than matching fixed strings in isolation, we augment the mal designing an efficient signature engine for the NIDS bro, we provide low-level context ...

**Keywords:** bro, evaluation, network intrusion detection, pattern matching, security, signatures

17 [Path sharing and predicate evaluation for high-performance XML filtering](#)



Yanlei Diao, Mehmet Altinel, Michael J. Franklin, Hao Zhang, Peter Fischer

December 2003 **ACM Transactions on Database Systems (TODS)**, Volume 28 Issue 4

**Publisher:** ACM Press

Full text available: [pdf\(543.40 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cit](#)

XML filtering systems aim to provide fast, on-the-fly matching of XML-encoded data to large nu constraints on both structure and content. It is now well accepted that approaches using event- (FSMs) can provide the basis for highly scalable structure-oriented XML filtering systems. The X was the first published FSM-based XML filtering approach. XFilter used a separate FSM per pa ..

**Keywords:** Nondeterministic Finite Automaton, XML filtering, content-based matching, nested evaluation, structure matching

**18** A structured approach for the definition of the semantics of active databases

 Piero Fraternali, Letizia Tanca

December 1995 **ACM Transactions on Database Systems (TODS)**, Volume 20 Issue 4

**Publisher:** ACM Press


Full text available:  [pdf\(4.15 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cit](#)

Active DBMSs couple database technology with rule-based programming to achieve the capability to respond to (internal or external) stimuli, called events. The reactive capabilities of active databases are useful for a wide range of applications, such as security, view materialization, integrity checking and enforcement, or heterogeneous database integration. This paper is very promising for the near future. An active database system consists of ...


**Keywords:** active database systems, database rule processing, events, fixpoint semantics, rule processing

**19** Data integrity: Web application security assessment by fault injection and behavior monitoring

 Yao-Wen Huang, Shih-Kun Huang, Tsung-Po Lin, Chung-Hung Tsai

May 2003 **Proceedings of the 12th international conference on World Wide Web**

**Publisher:** ACM Press


Full text available:  [pdf\(4.53 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cit](#)

As a large and complex application platform, the World Wide Web is capable of delivering a broad range of services. However, many Web applications go through rapid development phases with extremely short time to market, which may eliminate vulnerabilities. Here we analyze the design of Web application security assessment methodologies and practices that render Web applications vulnerable to attacks such as SQL injection and cross-site scripting.

**Keywords:** black-box testing, complete crawling, fault injection, security assessment, web application security

**20** Data mining to detect abnormal behavior in aerospace data

 José M. Peña, Fazel Famili, Sylvain Létourneau

August 2000 **Proceedings of the sixth ACM SIGKDD international conference on Knowledge Discovery and Data Mining**

**Publisher:** ACM Press

Full text available:  [pdf\(179.60 KB\)](#)

Additional Information: [full citation](#), [references](#), [index terms](#)

**Keywords:** data partitioning, machine learning, trend monitoring

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM. [Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	726/25	USPAT	OR	OFF	2006/04/03 18:24
L2	0	726/222	USPAT	OR	OFF	2006/04/03 18:24
L3	13	726/22	USPAT	OR	OFF	2006/04/03 18:24
L4	16	726/23	USPAT	OR	OFF	2006/04/03 18:24
L5	7128	713/200 OR 713/202 OR 713/201 OR 713/188	USPAT	OR	OFF	2006/04/03 18:27
L6	7130	5 OR 4 OR 3 OR 2 OR 1	USPAT	OR	OFF	2006/04/03 18:27
L7	0	intrusion.clm. and event.clm. and parameter.clm. and database.clm. and rule\$1.clm. and compar\$4.clm. and execut\$3.clm. and priorit\$3.clm. and enviornment.clm. and raw.clm. and fusion.clm. and engine.clm.	US-PGPUB; USPAT	OR	OFF	2006/04/03 18:30
L8	0	intrusion and event and parameter and database and rule\$1 and compar\$4 and execut\$3 and priorit\$3 and enviornment and raw and fusion and engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 18:33
L9	0	intrusion and event and parameter and database and rule\$1 and compar\$4 and execut\$3 and priorit\$3 and enviornment and fusion and engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 18:33
L10	0	intrusion and event and parameter and database and rule\$1 and compar\$4 and execut\$3 and priorit\$3 and enviornment and fusion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 18:33
L11	1	intrusion and event\$1 and parameter\$2 and database and rule\$1 and compar\$4 and execut\$3 and priorit\$3 and enviornment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 18:33
L12	40	intrusion and event\$1 and parameter\$2 and database and rule\$1 and compar\$4 and execut\$3 and priorit\$3 and fusion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 18:34

## EAST Search History

L13	41	12 or 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 18:34
L14	1	13 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 18:34